> home   > about   > feedback   > log

US Patent & Trademark Office

Try the *new* Portal design
Give us your opinion after using it.

Search Results

Search Results for: **[(((file <near/2> (segment or portion or part)) and (index <near/2> (segments or parts)) and ((segments or parts) <near/4> (distributed or separate* or remote* or (primary and secondary))))<AND>(meta_published_date <= 06-01-2001)]**
Found **8** of **121,005 searched.**

Search within Results

[   ] [Go]

> Advanced Search   > Search Help/Tips

Sort by: Title   Publication   Publication Date   Score   ● Binder

Results 1 - 8 of 8   short listing

1   Modeling the storage architectures of commercial database systems   99%
D. S. Batory
ACM Transactions on Database Systems (TODS) December 1985
Volume 10 Issue 4
Modeling the storage structures of a DBMS is a prerequisite to understanding and optimizing database performance. Previously, such modeling was very difficult because the fundamental role of conceptual-to-internal mappings in DBMS implementations went unrecognized. In this paper we present a model of physical databases, called the transformation model, that makes conceptual-to-internal mappings explicit. By exposing such mappings, we show that it is possible to model the storage ...

2   Techniques for Structuring Database Records   99%

Salvatore T. March
ACM Computing Surveys (CSUR) January 1983
Volume 15 Issue 1

3   Prefix B-trees   99%

Rudolf Bayer , Karl Unterauer
ACM Transactions on Database Systems (TODS) March 1977
Volume 2 Issue 1
Two modifications of B-trees are described, simple prefix B-trees and
prefix B-trees. Both store only parts of keys, namely prefixes, in the
index part of a B*-tree. In simple prefix B-trees those prefixes are
selected carefully to minimize their length. In prefix B-trees the
prefixes need not be fully stored, but are reconstructed as the tree is
searched. Prefix

4   StorHouse metanoia - new applications for database, storage & data   99%
warehousing

Felipe Cariño , Pekka Kostamaa , Art Kaufmann , John Burgess
**ACM SIGMOD Record , Proceedings of the 2001 ACM SIGMOD
international conference on Management of data** May 2001
Volume 30 Issue 2

This paper describes the StorHouse/Relational Manager (RM)
database system that uses and exploits an *active storage hierarchy*. By
active storage hierarchy, we mean that StorHouse/RM executes SQL
queries *directly* against data stored on all hierarchical storage (i.e. disk,
optical, and tape) without post processing a file or a DBA having to
manage a data set. We describe and analyze StorHouse/RM features
and internals. We also describe how StorHouse/RM differs from
traditional HSM ...

5   An experimental distributed modeling system   99%

Gary J. Nutt
ACM Transactions on Information Systems (TOIS) April 1983
Volume 1 Issue 2

6 Sharing and protection in a single-address-space operating system   99%

Jeffrey S. Chase , Henry M. Levy , Michael J. Feeley , Edward D. Lazowska

ACM Transactions on Computer Systems (TOCS) November 1994

Volume 12 Issue 4

This article explores memory sharing and protection support in Opal, a single-address-space operating system designed for wide-address (64-bit) architectures. Opal threads execute within protection domains in a single shared virtual address space. Sharing is simplified, because addresses are context independent. There is no loss of protection, because addressability and access are independent; the right to access a segment is determined by the protection domain in which a thread executes. T ...

7 An experimental analysis of the performance of fourth generation tools 98%

on PCs

Victor M. Matos , Paul J. Jalics

Communications of the ACM November 1989

Volume 32 Issue 11

The performance of several Fourth Generation Language (4GL) tools is analyzed empirically and compared with equivalent programs written in the third generation COBOL programming language. A set of performance benchmarks consisting of thirteen separate functions is presented which encompasses the areas of simulating the operators of the relational algebra, accessing records in the database, and updating the database. This serves as a baseline for comparing the various 4GL systems.

8 Application-controlled physical memory using external page-cache   98%

management

Kieran Harty , David R. Cheriton

ACM SIGPLAN Notices , Proceedings of the fifth international conference on Architectural support for programming languages and operating systems September 1992

Volume 27 Issue 9

Results 1 - 8 of 8   short listing

The ACM Portal is published by the Association for Computing Machinery.
Copyright © 2003 ACM, Inc.